MATERIAL SAFETY DATA SHEET

Date: 01/01/2011

In Accordance with Directive 2001/58/CE

1. Chemical Product

MSDS Name: Alkaline Battery

Manufacturer: MOTOMA POWER CO., LTD.

Address: 12/F, Shenmao Bidg, Xinwen Rd, Futian, Shenzhen, China

Tel: +86-755-82949256 Fax: +86-755-83719090

2. Composition /Information on Ingredients:

Chemical Nature: Chemical power source

CAS-No/EINECS NO.: Not applicable.

INCI CTFA-Description: Alkaline Zinc-Manganese Dry Battery

Tariff No.: "W" 85.06

Dangerous ingredients which have to be mentioned according to 99/45/EC and it adaptations.

Chemical Name	HAZARDOUS%	TLV(UNITS)	RISK PHRASES
CAS No.			
H- (M		<0.00050/	I1 /T:-
Hg (Mercury)		<0.0005%	Leakage /Toxic
Cd (Cadmium)		< 0.002%	Leakage /Toxic
Pb (Lead)		< 0.004%	Leakage /Toxic

3. Hazards identifications

General: Alkaline battery --- The Common known rules for handing of

chemical power source should be obeyed. Do not heat, recharge,

disassemble the product or dispose of in fire.

Physical-Chemical Hazards: The chemical materials concluded in the Product is sealed up, thus

being stable, safe and eco-friendly under common conditions, may

not cause physical-chemical hazards.

Hazards to Human being: Disassemble the product without a professional basis, may cause

leakage of the electrolyte and irritation to skin; or cause Hg/Cd/Pb

(micro trace) poisoning.

Hazards to environment: Dispose the product without separate collection, may lead to

pollution caused by Hg/ Cd/ Pb (micro trace), or the electrolyte of

alkali solution.

4. First –aid measures:

Inhalation: Not applicable.

Skin Contact: Wash with clear water immediately once leakage happens and the inner liquid

splashes onto skin.

Eye contact: Rinse eyes immediately with running water for at least ten minutes. Consult an

ophthalmologist.

Ingestion: Rinse mouth with water; Give plenty of water to drink. Obtain medical advice.

Tel: +86-755-82949246 Fax: +86-755-83719090 www.motoma.cn

MATERIAL SAFETY DATA SHEET

In Accordance with Directive 2001/58/CE

5. Fire-fighting measures

Suitable extinguishing media: Carbon dioxide (CO₂), foam, dry chemical powder. Extinguishing media not to be used: Never use a direct water jet, may pollute the water

system.

Exposure hazards from combustion products: In case of fire, carbon monoxide or other toxic

organic substances may be generated.

Date: 01/01/2011

Do not inhale fumes and smoke.

Personal protective equipments: Wear full protective clothing. Use self contained

breathing apparatus.

* Remark: It can be extinguished by car extinguisher as well.

6. Accidental release measures:

Personal precautions: Wear protective clothing. Keep unprotected persons away.

Environmental precautions: Avoid discharge and penetration into sewerage systems, waterways,

pits, and cellars.

Methods for cleaning up: Collect spilled material with an insert standard absorbent like sand or

silica. Care for well-Ventilated conditions. Recycle or dispose of the

materials in an appropriate way.

7. Handling and storage

General: Obey the common known rules and precautions for handling with

chemical power sources.

Fire/Explosion protections: Explosion may happen if short-circuit; collect spilled material with an

insert standard absorbent like sand or silica.

Storage: Store product in clean, cool and ventilated place with a temperature

between 10° C and 30° C (no higher than 40° C in the ordinary course of events) and a relative humidity no higher than 65%; the storage time should not be too long; the batteries should be well-arranged, and do avoid sort-circuit caused by the contact of the positive and negative

electrodes.

8. Exposure controls/Personal protection

Exposition/ Technical measures: Not applicable.

Protection of hands, eyes and skin: To protect hands, eyes and skin, do not disassemble the

product without professional basis.

9. Physical and chemical propertied

Physical state	Solid	Solubility in water	not applicable
Color	not applicable	Vapor pressure	not applicable
Odor	not applicable	Explosion limit	not applicable
pH value	not applicable	Oxidizing properties	not applicable
Specific gravity	not applicable	Flashpoint	not applicable

Tel: +86-755-82949246 Fax: +86-755-83719090 <u>www.motoma.cn</u> Page 2 of 3

MATERIAL SAFETY DATA SHEET

In Accordance with Directive 2001/58/CE

Refractive index not applicable Auto flammability not applicable
Solubility in ethanol not applicable Partition coefficient not applicable
Melting Point not applicable Boiling Point not applicable

Freezing Point not applicable

10. Stability and Reactivity

The chemical materials concluded in the Product are sealed up, thus being stable, safe and eco-friendly under common conditions.

11. Toxicological information

The product is multi component mixture for which no toxicological data exists.

Precautions avoid disassembling the product without a professional basis.

12. Ecological information

In general, no ecological data is available for preparations.

Precautions avoid disposing into drainage systems and into the environment.

13. Disposable considerations

Precautions avoid disposing waste products into environment, sewerage, landfills or by incineration.

Obey the rules and precautions for separate collection and recycling of the waste products.

14. Transport Information

Road (ADR/RID) : not regulated
Air (ICAO/IATA) : not regulated
Sea (IMDG) : not regulated

15. Regulatory Information

Symbol: for transportation, collection, or environment protection (stipulated respectively

by each contract).

Contains: transportation marks;

"separate collection" symbol; "RoHS" symbol (maybe), etc.

16. Other information

The information on this Material Safety Date Sheet (MSDS) was obtained from current and reputable sources. For any other question, please contact the manufacturer for further information.

Date: 01/01/2011

^{*} Remark: Avoid high-temperature, high-humidity condition.