



MOTOMA®

Power into the Future

MOTOMA Power Co., Ltd.

12/F, Shenmao Bldg, Xinwen Rd, Futian,

Shenzhen, China 518034

Tel: +86-755-8373-6206, 8294-9246,

Fax: +86-755-8371-9090

www.motoma.com

info@motoma.com

motoma96@yahoo.com

Consumer Batteries



▶ MOTOMA POWER CO.,LTD. |||||

Power Solution Supplier:

Motoma is one of the leading battery manufacturers in China. Established in 1994, Motoma has grown to be one of the most dynamic and innovative battery suppliers in China.

We are committed to improving the production techniques and protecting our environment to gain a sustainable future. Environmentally-friendly greenery heavy duty, alkaline battery are one of our top developed batteries in recent years.

We have gained high reputation among our customers in both domestic and overseas market for our superior and reliable quality products, while offering reasonable and competitive prices with perfect after-sale service.

Our vision: Quality creates brand, service enhances value.

Our mission: MOTOMA, power into the future!

Our slogan: Love, laugh, live!

UL CE ISO9001:2000



Chemical Analysis



Plastic Injection



R&D



Making Components



Production Line



Storage

MOTOMA®


▶ Service Philosophy |||||

Service and family is a big part of our culture at Motoma.

All employees and their families make up a big part of the Motoma culture. Not only is Motoma in the business of making and selling batteries but we also want to make a connection with our customers so they to become part of the Motoma family.

Service and customer satisfaction drive our company. If we can improve our customer service and keep our customers satisfied then our business will grow with our customers.


▶ Core Products |||||



Alkaline Battery




Zinc Chloride Battery



Nickel Metal Hydride Battery



Cordless Phone Battery



Power Charger



Button Lithium Battery



Button Alkaline Battery



High Voltage Battery

MOTOMA®

Power into the Future

SUPER
ALKALINE BATTERIES



CE RoHS
COMPLIANT
ISO9001:2000


MOTOMA®

Super Alkaline Batteries


Picture	Volt.	Model No.	Cross	Part No.	Code No.	Package			
						Packs/Box	Packs/CTN.	G.W./kgs	CBM
	1.5V	LR20	D/E95/13A AM1/MN1300	LR-LR20-2S	2312	28	56	16.0	0.0124
	1.5V	LR14	C/E94/14A AM2/MN1400	LR--LR14-2S	2314	45	90	12.5	0.0105
	1.5V	LR6	AA/E91/15A AM3/MN1500	LR-LR6-2S	2326	30	360	17.5	0.0112
	1.5V	LR03	AAA/E92/24A AM4/MN2400	LR-LR03-2S	2328	30	600	14.2	0.0093
	9V	6LR61	9V/1604A 6AM6/MN1604	LR-9V-1S	2319	100	300	16.8	0.0082
	6V	4LR25	908A	LR-4LR25-1S	2355	6	24	16.5	0.0208
	1.5V	LR20	D/E95/13A AM1/MN1300	LR-LR20-2B	2302	12	72	21.0	0.0251
	1.5V	LR14	C/E94/14A AM2/MN1400	LR-LR14-2B	2304	12	96	14.5	0.0240
	1.5V	LR6	AA/E91/15A AM3/MN1500	LR-LR6-4B	2306	24	144	15.7	0.0205

Picture	Volt.	Model No.	Cross	Part No.	Code No.	Package			
						Packs/Box	Packs/CTN.	G.W./kgs	CBM
	1.5V	LR03	AAA/E92/24A AM4/MN2400	LR-LR03-4B	2308	24	288	16.9	0.0300
	9V	6LR61	9V/1604A 6AM6/MN1604	LR-9V-1B	2309	12	240	16.8	0.0378
	1.5V	LR1		LR-LR1-2B	2367	12	288	18.5	0.0278
	1.5V	LR6	AA/E91/15A AM3/MN1500	LR-LR6-12SB	2366	5	60	18.5	0.0152
	1.5V	LR03	AAA/E92/24A AM4/MN2400	LR-LR03-12SB	2368	10	80	12.3	0.0112

Electrochemical System: Alkaline Manganese Dioxide



Manufacturing Flow Process Diagram




ZINC CHLORIDE
BATTERIES




Picture	Volt.	Model No.	Cross	Part No.	Code No.	Package			
						Packs/Box	Packs/CTN.	G.W./kgs	CBM
	1.5V	R20P	D/13C SUM-1	SHDY-R20P-2S	3201	6	144	26.0	0.0244
	1.5V	R14P	C/14C SUM-2	SHDY-R14P-2S	3203	12	240	21.3	0.0212
	1.5V	R6P	AA/15C SUM-3	SHDY-R6P-4S	3246	15	300	18.5	0.0160
	1.5V	R03P	AAA/24C SUM-4	SHDY-R03P-4S	3248	15	540	16.6	0.0138
	9V	9V	9V/6F22 1604D	SHDY-9V-1S	3209	10	500	19.5	0.0155
	1.5V	R20P	D/13C SUM-1	SHDY-R20P-2B	3271	12	120	22.0	0.0375
	1.5V	R14P	C/14C SUM-2	SHDY-R14P-2B	3273	12	240	23.5	0.0520
	1.5V	R6P	AA/15C SUM-3	SHDY-R6P-4B	3276	24	240	17.0	0.0310


Picture	Volt.	Model No.	Cross	Part No.	Code No.	Package			
						Packs/Box	Packs/CTN.	G.W./kgs	CBM
	1.5V	R03P	AAA/24C SUM-4	SHDY-R03P-4B	3278	24	288	11.0	0.0271
	1.5V	R6P	AA/15C SUM-3	SHDY-R6P-2BX	3225	24	480	16.0	0.0307
	1.5V	R03P	AAA/24C SUM-4	SHDY-R03P-2BX	3227	24	720	13.5	0.0249
	1.5V	R6P	AA/15C SUM-3	SHDY-R6P-12SB	3256	10	60	11.3	0.0156
	1.5V	R03P	AAA/24C SUM-4	SHDY-R03P-12SB	3258	10	80	9.0	0.0120

Picture	Volt.	Model No.	Cross	Part No.	Code No.	Package			
						Packs/Box	Packs/CTN.	G.W./kgs	CBM
	1.5V	R20P	D/13C SUM-1	SHD-R20P-2S	3201	6	144	26.0	0.0244
	1.5V	R14P	C/14C SUM-2	SHD-R14P-2S	3203	12	240	21.3	0.0212
	1.5V	R6P	AA/15C SUM-3	SHD-R6P-4S	3246	15	300	18.5	0.0160
	1.5V	R03P	AAA/24C SUM-4	SHD-R03P-4S	3248	15	540	16.6	0.0138
	9V	9V	9V/6F22 1604D	SHD-9V-1S	3209	10	500	19.5	0.0155
	6V	4R25	4F/908A	SHD-4R25-1S	3204	6	24	14.0	0.0185

Electrochemical System: Zinc Manganese Dioxide



Manufacturing Flow Process Diagram



Picture	Volt.	Model No.	Capacity mAh	Part No.	Code No.	Package			
						Packs/Box	Packs/CTN.	G.W./kgs	CBM
	1.5V	FR6 AA	2900	FR-FR6-2S	2484	25	500	16.0	0.0154
	1.5V	FR03 AAA	1100	FR-FR03-2S	2487	25	500	8.0	0.0072
	1.5V	FR6 AA	2900	FR-FR6-2B	2481	24	144	5.5	0.0205
	1.5V	FR03 AAA	1100	FR-FR03-2B	2483	24	288	5.0	0.0300



Rechargeable Batteries



MOTOMA®

Ni-MH Batteries

Electrochemical System: Nickel Metal Hydride

Picture	Volt.	Model No.	Capacity mAh	Part No.	Code No.	Package			
						Packs/Box	Packs/CTN.	G.W./kgs	CBM
	1.2V	AA	2700	NH-AA2700-2B	2755	12	144	10.0	0.0197
	1.2V	AA	2500	NH-AA2500-2B	2780	12	144	10.0	0.0197
	1.2V	AAA	1000	NH-AAA1000-4B	2760	24	144	9.0	0.0146
	1.2V	AAA	850	NH-AAA850-2B	2767	24	144	5.2	0.0146
	9V	9V	180	NH-9V180-1B	2769	12	144	7.5	0.0146

MOTOMA®

Power into the Future

CORDLESS PHONE BATTERIES



CE ROHS
COMPLIANT
ISO9001:2000


MOTOMA®

Ni-CD


Packs	Volt.	Code No.	Cordless Phone Models	Package	
				Blisters /Box	Blisters /CTN
 2/3AAA150H3BMU	3.6V	2601	ITT discovery	20	200
 AAA360H3BMU	3.6V	2627	Alcatel Altiset Easy; Panasonic TD950J/TD960J		
 AAA380H3BMU	3.6V	2602	Ericson 230/260		
 2/3AA300H2BMU	2.4V	2606	A&A ET496; CGE2-9505/ GE2-9505/GE9505A/GE9506A; ES2-9506A		
 2/3AA300H3BMU	3.6V	2603	Panasonic 36/37/38; AT&T HT3400/4310/4410/5300; Emerson TEC 3000; Sony SPP-55/65/90; Sanyo CAS120/CAS130/ CLT440/CLT520/ CLT6100/CLT6300; C&W CWP 200/CWT 300		
 2/3AA300H4WMU	4.8V	2646	KPN Orlando 100/100N		
 2/3AA360H2BMU	2.4V	2696	A&A ET496; CGE2-9505/GE2-9505/ GE9505A/GE9506A; ES2-9506A		
 2/3AA360H3BMU	3.6V	2676	Panasonic 36/37/38; AT&T HT3400/4310/4410/5300; Emerson TEC 3000; Sony SPP-55/65/90; Sanyo CAS120/CAS130/ CLT440/CLT520/ CLT6100/CLT6300; C&W CWP 200/CWT 300		
 2/3AA360H3TMU	3.6V	2686	Sony SPP-50/110/510; Sanyo TH1010; GE 5-2201		
 2/3AA360H4BMU	4.8V	2656	Panasonic KX-T3820; Audiovox AT-21-B; Freedom Phone FF-1500/ 3000/4000/5000; GE1000; GPT AT22; Midland 80-200; Cobra CP91		
 2/3AA450H3BMU	3.6V	2607	Panasonic 36/37/38; AT&T HT3400/4310/4410/5300; Emerson TEC 3000; Sony SPP-55/65/90; Sanyo CAS120/CAS130/ CLT440/CLT520/ CLT6100/CLT6300; C&W CWP 200/CWT 300		

Packs	Volt.	Code No.	Cordless Phone Models	Package	
				Blisters /Box	Blisters /CTN
 AA600H3BMU	3.6V	2604	Panasonic KX-T3806/T3856/ T3860/T3865/A36/KZA 36; Doro Walk & Talk 970/980; Philips TD 9203/9204/9213/ 9240/9241/9272/9603/9673/ 9804/9841; Samsung 915; Sanyo CLT880/980/982/985/990; Hi Tel 940/950/960	20	200
 AA800H2BMU	2.4V	2623	Panasonic KX-TC920; Telecom DECT Top; Philips Omis/KALATO 6120/6523; Siemens Gigaset 2011; Swatch DECT;		
 AA800H3BMU	3.6V	2633	Panasonic KX-T3806/T3856/ T3860/T3865/A36/KZA 36; Doro Walk & Talk 970/980; Philips TD 9203/9204/9213/ 9240/9241/9272/9603/9673/ 9804/9841; Samsung 915; Sanyo CLT880/980/982/985/990; Hi Tel 940/950/960		
 AA800H3B2P	3.6V	2636	Panasonic KX-T3806/T3856/ T3860/T3865/A36/KZA 36; Doro Walk & Talk 970/980; Philips TD 9203/9204/9213/ 9240/9241/9272/9603/9673/ 9804/9841; Samsung 915; Sanyo CLT880/980/982/985/990; Hi Tel 940/950/960		
 PAA800H3B	3.6V	2613	Panasonic KX-TG 2205/2215/ 2217/2222/2237/2247/2257/ 2267/2287; KX-TGA 2705		
 AA800H4BMU	4.8V	2643	Audiovox AT22R; Phone Mate 1120/1121/1140; Cobra CP200S/200		
 280H3BMU	3.6V	2639	Brondi Sport & Silver; Daewoo DWP-5000		
 280H3TMU	3.6V	2638	Panasonic KX-T3807/T3822R/ T3823R/T4200R; Excursion 500; Uniden AE155/156/XE200/300/ 400/500/700; Citizen TF50N/51N/52N; Cosmo TR3039/3040		
 280H3TMU	3.6V	2638	Panasonic KX-T3807/T3822R/ T3823R/T4200R; Excursion 500; Uniden AE155/156/XE200/300/ 400/500/700; Citizen TF50N/51N/52N; Cosmo TR3039/3040		
 280H3GMU	3.6V	2678	Goldstar SX006/008; Goldstar GST-1100/1200/ GTE3100; Skyphone SCP-3000		
 280H4SMU	4.8V	2658	Uniden XE600; Muraphone MP600/601/800		


Optional Connectors:




MU Universal Plug
Lead wire: AWG 24 UL1007



MJ JST EHR-02
Lead wire: AWG 24 UL1007



ML MOLEX 3204-02
Lead wire: AWG 24 UL1007



MM MITSUMI M3M3-02
Lead wire: AWG 24 UL1007

Packs	Volt.	Code No.	Cordless Phone Models	Package	
				Blisters /Box	Blisters /CTN
 1/3AAA250M3BMU	3.6V	2722	Doro/Atlantel Audioline Series	20	200
 1/2AAA280M3BMU	3.6V	2730	Panasonic, Ericson, Solomon, Fujitel		
 280M3BMU	3.6V	2744	Brondi Sport & Silver; Daewoo DWP-5000		
 2/3AAA400M3BMU	3.6V	2728	ITT discovery		
 2/3AAA400M4BMU	4.8V	2729	Audiovox AT22R; Phone Mate 1120/1121/1140; Cobra CP200S/200		
 2/3AAA500M3BMU	3.6V	2798	ITT discovery		
 4/5AAA500M3BMU	3.6V	2726	Ericson, Solomon/Reach/Luckyphone/ Fujitel FT-870S, FT-3920, WT-9300, ITT Discovery		
 AAA600M2BMU	2.4V	2721	Panasonic KX-T3820; Audiovox AT-21-B; Freedom Phone FF-1500/3000/ 4000/5000; GE1000; GPT AT22; Midland 80-200; Cobra CP91		
 2/3AA600M2BMU	2.4V	2704	A&A ET496; CGE2-9505/GE2-9505/ GE9505A/GE9506A; ES2-9506A		
 AAA600M3BMU	3.6V	2720	Panasonic P-P102, KX-A36A, Type 22/ TD950J/TD960J		
 P5/4AAA850M3B-P104	3.6V	2733	Panasonic HHR-P104		
 PAA1500M2B-P513	2.4V	2737	Panasonic HHR-P513		
 2/3AA600M3BMU	3.6V	2702	Panasonic 36/37/38; AT&T HT3400/4310/4410/5300; Emerson TEC 3000; Sony SPP-55/65/90; Sanyo CAS120/CAS130/CLT440/ CLT520/CLT6100/ CLT6300; C&W CWP 200/CWT 300	20	200
 2/3AA600M3TMU	3.6V	2703	Sony SPP-50/110/510; Sanyo TM1010; GE 5-2201		
 320M3GMU	3.6V	2749	RadioShack43-545/43-556/ 43-558/ET416; Sincoa Cp150		
 2/3AA600M3WMU	3.6V	2707	KPN Orlando 100/100N		
 2/3AA600M4BMU	4.8V	2705	Panasonic KX-T3820; Audiovox AT-21-B; Freedom Phone FF-1500/3000/ 4000/5000; GE1000; GPT AT22; Midland 80-200; Cobra CP91		
 4/5AA700M3BMU	3.6V	2723	Panasonic-HHR-P501		
 AA1200M3BMU	3.6V	2734	Panasonic KX-T3806/T3856/ T3860/T3865/A36/KZA 36; Doro Walk & Talk 970/980; Philips TD 9203/9204/9213/ 9240/9241/9272/9603/9673/ 9804/9841; Samsung 915; Sanyo CLT890/990/982/985/990; Hi Tel 940/950/960		
 AA1300M4BMU	4.8V	2731	Audiovox AT22R; Phone Mate 1120/1121/1140; Cobra CP200S/200		
 AA1600M2BMU	2.4V	2714	Panasonic KX-TCD920; Telecom DECT TOP; Philips Onis/KALATD 6120/ 6523; Siemens Gigaset 2011; Swatch DECT;		
 AA1600M3BMU	3.6V	2712	Panasonic KX-T3806/T3856/ T3860/T3865/A36/KZA 36; Doro Walk & Talk 970/980; Philips TD 9203/9204/9213/ 9240/9241/9272/9603/9673/ 9804/9841; Samsung 915; Sanyo CLT890/990/982/985/990; Hi Tel 940/950/960		
 PAAA700M3B-P107	3.6V	2736	Panasonic HHR-P107		
 P5/4AAA850M2B-P105	2.4V	2732	Panasonic HHR-P105		


Standard Charger

Picture	Specification	Part No.	Code No.	Package	
				Pcs/Box	Pcs/CTN.
	◀BC-2085 * For size AA/AAA/9V * Input :AC110V~240V 50/60HZ 5mA * Output: AA DC2.8V X2=150mA AAA DC2.8V X2=150mA 9V DC 9.8V=16mA * Charging Time: Ni-MH AAA600mAh 6hours Ni-MH AA 1600mAh 15hours	BC-2085	2085	6	24
	◀BC-2080 * For size AA/AAA/9V * Input :AC110V/220V 50/60HZ 5mA * Output: AA DC2.8V X2=135mA AAA DC2.8V X2=60mA 9V DC 9.8V=17mA * Charging Time: Ni-CD AAA300mAh 7hours Ni-CD AA 800mAh 8hours	BC-2080	2080	6	24
	◀BC-2070 * For size D/C/AA/AAA/9V * Input :AC220V 50HZ 20mA * Output: D DC1.4V X4 = 180mA C DC1.4V X4 = 180mA AA DC1.4V X4 = 180mA AAA DC1.4V X4 = 180mA 9V DC9.8V X2 = 20mA * Charging Time: Ni-MH AAA600mAh 6hours Ni-MH AA 1600mAh 15hours	BC-2070	2070	6	24

Fast Charger

Picture	Specification	Part No.	Code No.	Package	
				Pcs/Box	Pcs/CTN.
	◀BC-2080B * For size AA/AAA/9V * Input :AC110V~240V 50/60HZ 12mA * Output: DC2.8V X2=1000mA DC5.6V X2=500mA 9V 9.8=18mA * Charging Time: Ni-MH AAA800mAh 2hours Ni-MH AA 2200mAh 3hours	BC-2080B	2081	6	24

Optional Plugs





AG0-10B



AG1-10B



AG3-10B



AG4-10B



AG8-10B




AG9-10B



AG10-10B



AG13-10B



AG-30B



LR63



LR60



LR59



LR41



LR66



LR48



LR69



LR57



LR55



LR45



LR54




LR58



LR43



LR44




Electrochemical System: Alkaline Manganese-Dioxide


Model No.	Cross	Volt.	Part No.	Code No.	Capacity(mAh)	DIA.(mm)	Package
							(Pcs./Blister)/Box/CTN
AG0	LR63/179/521	1.5V	AG0-10B	2500	10	5.75×2.10	10/200/10000
AG1	LR60/164/621	1.5V	AG1-10B	2501	13	6.75×2.10	10/200/10000
AG2	LR59/106	1.5V	AG2-10B	2502	28	7.85×2.50	10/200/10000
AG3	LR41/192	1.5V	AG3-10B	2503	35	7.85×3.50	10/200/10000
AG4	LR66/177	1.5V	AG4-10B	2504	18	6.75×2.50	10/200/10000
AG5	LR48/193	1.5V	AG5-10B	2505	60	7.90×5.40	10/200/4000
AG6	LR69/171	1.5V	AG6-10B	2506	32	9.40×2.10	10/200/4000
AG7	LR57/195	1.5V	AG7-10B	2507	42	9.40×2.50	10/200/4000
AG8	LR55/191	1.5V	AG8-10B	2508	45	11.50×2.10	10/200/4000
AG9	LR45/194	1.5V	AG9-10B	2509	45	9.40×3.50	10/200/4000
AG10	LR54/189	1.5V	AG10-10B	3500	75	11.50×3.10	10/200/4000
AG11	LR58/162	1.5V	AG11-10B	3501	20	7.85×2.10	10/200/10000
AG12	LR43/186	1.5V	AG12-10B	3502	100	11.50×4.10	10/200/4000
AG13	LR44/A76	1.5V	AG13-10B	3503	145	11.50×5.40	10/200/4000
LR716	LR40/315	1.5V	LR716-10B	3506	16	7.85×1.60	10/200/10000
(AG1+AG3+AG4+AG13)X6+(AG10+AG12)X3		1.5V	AG-30B	3534	—	—	30/720/4320

Electrochemical System: Lithium-Manganese-Dioxide


Model No.	Cross	Volt.	Part No.	Code No.	Package		
					Pcs./Blister	Blisters/Box	Blisters/CTN.
CR435	DL435	3V	CR-CR435-5B	2410	5	20	640
CR927	DL927		CR-CR927-5B	2445			
CR1025	DL1025		CR-CR1025-5B	2425			
CR1216	DL1216		CR-CR1216-5B	2450			
CR1220	DL1220		CR-CR1220-5B	2451			
CR1225	DL1225		CR-CR1225-5B	2452			
CR1530	DL1530		CR-CR1530-5B	2421			
CR1616	DL1616		CR-CR1616-5B	2453			
CR1620	DL1620		CR-CR1620-5B	2454			
CR1632	DL1632		CR-CR1632-5B	2423			
CR2016	DL2016		CR-CR2016-5B	2405			
CR2025	DL2025		CR-CR2025-5B	2406			
CR2032	DL2032		CR-CR2032-5B	2407			
CR2320	DL2320		CR-CR2320-5B	2458			
CR2330	DL2330		CR-CR2330-5B	2459			
CR2335	DL2335		CR-CR2335-5B	2429			
CR2354	DL2354		CR-CR2354-5B	2427			
CR2430	DL2430		CR-CR2430-1B	2436	1	60	2040
CR2450	DL2450		CR-CR2450-1B	2431			
CR2477	DL2477		CR-CR2477-1B	2417			




CR-CR123A-1B



CR-CR2-1B



CR-2CR5-1B



CR-CR-P2-1B

Electrochemical System: Lithium-Manganese-Dioxide

Model No.	Cross	Volt.	Part No.	Code No.	Package		
					Pcs./Blister	Blisters/Box	Blisters/CTN.
CR123A	DL123	3V	CR-CR123A-1B	2480	1	12	240
CR2	DLCR2	3V	CR-CR2-1B	2488			
CR-P2	DL223	6V	CR-P2-1B	2486			
2CR5	DL2CR5	6V	CR-2CR5-1B	2482			



SR-SR621-5B



SR-SR626-5B




SR-4SR44-5B




HV-LR23A-5B



HV-LR27A-5B



HV-10A-5B



HV-11A-5B



HV-4LR44-5B

Electrochemical System: Silver-oxide

Model No.	Cross	Volt.	Part No.	Code No.	Package		
					Pcs./Blister	Blisters/Box	Blisters/CTN.
SR521	MG0/379	1.55V	SR521-5B	3300	5	20	600
SR621	MG1/364	1.55V	SR621-5B	3301			
SR736	MG2/396	1.55V	SR736-5B	3302			
SR41	MG3/384	1.55V	SR41-5B	3303			
SR626	MG4/377	1.55V	SR626-5B	3304			
SR48	MG5/393	1.55V	SR48-5B	3305			
SR920	MG6/371	1.55V	SR920-5B	3306			
SR926	MG7/395	1.55V	SR926-5B	3307			
SR1120	MG8/391	1.55V	SR1120-5B	3308			
SR936	MG9/374	1.55V	SR936-5B	3309			
SR1130	MG10/390	1.55V	SR1130-5B	3310			
SR721	MG11/361	1.55V	SR721-5B	3311			
SR43	MG12/386	1.55V	SR43-5B	3312			
SR44	MG13/357	1.55V	SR44-5B	3314			
4SR44	A544/476	6V	4SR44-5B	3330			

Electrochemical System: Alkaline-Manganese Dioxide

Model No.	Cross	Volt.	Part No.	Code No.	DIA.(mm)	Package		
						Pcs./Blister	Blisters/Box	Blisters/CTN.
LR23A	EL12/A23/V23/	12V	HV-LR23A-5B	2301	Φ 10x28	5	24	288
LR23A	MN21/L1028	12V	HV-LR23A-2B	2373	Φ 10x28	2	20	400
LR27A	A27/L828	12V	HV-LR27A-5B	2351	Φ 7.7x28	5	24	288
LR27A		12V	HV-LR27A-2B	2377	Φ 7.7x28	2	20	400
LR10A	10A	9V	HV-LR10A-5B	2371	Φ 10x21.6	5	24	288
LR11A	11A	6V	HV-LR11A-5B	2313	Φ 10x16	5	24	288
LR26A	26A	6V	HV-LR26A-5B	2374	Φ 7.7x15.5	5	24	288
LR29A	29A	9V	HV-LR29A-5B	2375	Φ 7.7x21.5	5	24	288
4LR44	PX28L/A544	6V	HV-4LR44-5B	2391	Φ 13x25.5	5	24	288



ZA13-6B



ZA10-6B



ZA675-6B



ZA312-6B



Electrochemical System: Zinc Air

Model No.	Volt.	Part No.	Code No.	Package		
				Pcs./Blister	Blisters/Box	Blisters/CTN.
ZA13	1.4V	ZA13-6B	2573	6	60	600
ZA10	1.4V	ZA10-6B	2570			
ZA675	1.4V	ZA675-6B	2577			
ZA312	1.4V	ZA312-6B	2575			



Notepaper



Metal Standing



PVC Standing



Wall Clock



Shopping Bag



T-Shirts